

Summary

NAACCR: What you need to know for 2017

Version 1

January 2017

ICD-O-3 Histologies

- ICD-O-3 codes and terms effective for 2015 was postponed due to CSv2 software issues. For diagnosis year 2017, all standard setters agreed to postpone these codes again. Use alternate codes published in Table 2 of the NAACCR Guidelines for ICD-O-3 Update Implementation. See Appendix A.
- Effective with cases diagnosed January 1, 2017 and forward, histology code clarifications for the lung and thyroid have been approved by all standard setting agencies. See Appendix B for details.

Reportability

- There are no reportability changes in 2017.

Multiple Primary and Histology (MP/H) Rules

- Registries will continue to use the 2007 MP/H rules for cases diagnosed in 2017

Standard Setters Reporting Requirements for 2017

- Note: CoC information will be added as soon as it is available.
- Beginning with cases diagnosed January 1, 2017 and forward, CDC-NPCR will continue using the record layout and data collection requirements as published in NAACCR Standards Volume II, Version 16. There are no changes to CDC reporting requirements for 2017.
- The codes and instructions in the 2016 SEER Program Coding and Staging Manual remain in effect for 2017.

Appendix A Continued Use of ICD-O-3 Histology Code Crosswalk

The following table is an excerpt from the NAACCR Guidelines for ICD-O-3 Update Implementation (December 2013). The complete document can be found on the NAACCR web site:

[Guidelines for ICD-O-3 Update Implementation](#)

ICD-O-3 Change	ICD-O-3 Histology Code (do NOT use these codes)	Description	Comment	Histology Code Effective January 1, 2015 and forward
New term and code	8158/1	Endocrine tumor, functioning, NOS	Not reportable	
New related term	8158/1	ACTH-producing tumor	Not reportable	
New term and code	8163/3	Pancreatobiliary-type carcinoma (C24.1)	DO NOT use new code	8255/3
New synonym	8163/3	Adenocarcinoma, pancreatobiliary-type (C24.1)	DO NOT use new code	8255/3
New term	8213/3	Serrated adenocarcinoma		8213/3*
New code and term	8265/3	Micropapillary carcinoma, NOS (C18._, C19.9, C20.9)	DO NOT use new code	8507/3*
New code and term	8480/1	Low grade appendiceal mucinous neoplasm (C18.1)	Not reportable	
New term and code	8552/3	Mixed acinar ductal carcinoma	DO NOT use new code	8523/3
New term and code	8975/1	Calcifying nested epithelial stromal tumor (C22.0)	Not reportable	
New term and code	9395/3	Papillary tumor of the pineal region	DO NOT use new code	9361/3*

ICD-O-3 Change	ICD-O-3 Histology Code (do NOT use these codes)	Description	Comment	Histology Code Effective January 1, 2015 and forward
New term and code	9425/3	Pilomyxoid astrocytoma	DO NOT use new code	9421/3
New term and code	9431/1	Angiocentric glioma	DO NOT use new code	9380/1*
New term and code	9432/1	Pituicytoma	DO NOT use new code	9380/1*
New term and code	9509/1	Papillary glioneuronal	DO NOT use new code	9505/1
New related term	9509/1	Rosette-forming glioneuronal tumor	DO NOT use new code	9505/1
New term and	9741/1	Indolent systemic	Not reportable	

* ICD-O-3 rule F applies (code the behavior stated by the pathologist). If necessary, over-ride any advisory messages.

Appendix B Histology Coding Clarifications for Lung and Thyroid Cases

Histology Coding Clarifications for Lung and Thyroid Cases Effective January 1, 2017 and forward		
Primary Site	Description	Use Histology/ Behavior Code
Lung (C34.0-34.9)	Adenocarcinoma in-situ, mucinous (using the Matrix rule)	8253/2
	Invasive adenocarcinoma, mucinous, bronchiolo-alveolar carcinoma (BAC), mucinous type	8253/3
	Mixed invasive mucinous and non-mucinous adenocarcinoma; BAC, mixed mucinous and non-mucinous	8254/3
Thyroid (C73.9)	Non-invasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP)	8343/2
	Non-invasive encapsulated follicular variant of papillary thyroid carcinoma (non-invasive EFVPTC)	8343/2
	Invasive encapsulated follicular variant of papillary thyroid carcinoma (invasive EFVPTC)	8343/3